



**Section**  
[scale 1:10]



**Plan Through: B-B**  
[scale 1:10]



**Plan Through: A-A**  
[scale 1:10]

180C SR3 Box size matrix								
Width	1000	2000	3000	4000	5000	6000	7000	8000
Height								
2000	250x250	250x250	250x250	250x250	250x250	250x250	300x300	300x300
3000	300x300	300x300	300x300	300x300	300x300	400x400	400x400	400x400
4000	300x300	300x300	400x400	400x400	400x400	400x400	400x400	400x400
5000	400x400	400x400	400x400	400x400	400x400	400x400	400x400	N/A
6000	400x400	400x400	400x400	400x400	400x400	N/A	N/A	N/A

OBEXION™ SPECIALIST ROLLER SHUTTER SYSTEMS					
Security Rating	Bottom rail profile	Minimum structural opening width (m)	Maximum structural opening width (m)	Minimum structural opening height (m)	Maximum structural opening height (m)
SR3	A	1.0	3.2	2.0	6.0
SR3	B	1.0	8.0	2.0	6.0

NOTE: The installation shall be direct to the substrate and not via intermediate substrates, such as plasterboard

Installation Configurations				
Configuration	Substrate			
	Internally face fitted roller shutter	Brickwork	Blockwork	Concrete
	✓	✓	✓	✓
Anchored by	M10 x 50mm socket head bolt, into 80mm sleeve anchor			M10 x 50mm socket head bolt